

# CORRUGATED OUTER CONTAINER



# **INSULATED BULK TRANSPORTS**

INTERNATIONAL // DOMESTIC



COLLAPSABLE WOOD CRATE WITH FOAM LINER

TRANSPORT
PERISHABLES
CONFIDENTLY.





1-800-ICE-BRIX polar-tech.com



# **ICE-BOX RIGHT FIT™ Insulated Cargo Transport Container System**

ICE-BOX RIGHT FIT™ is the ultimate in thermal insulated cargo transport containers. Features include: economical, variety of sizes, 1 way or reusable, molded EPS foam with tight fitting lids and components. Select desired options such as foam units, foam units with KD telescoping corrugated box or foam units with wood crates and skids. Improved refrigerants and patent pending systems control and stabilize temperature sustainability. Any bulk product that is temperature sensitive can be safely shipped in our ICE-BOX RIGHT FIT™ Insulated Cargo Transports.

# Maintain Temperatures with a CURTAIN OF COLD™ System

Use ICE-BRIX<sup>®</sup> Saddle Bags or Cold Pockets pouch system as a CURTAIN OF COLD™ that positions cold packs and/or dry ice above and around to surround your payload products. It is as if your products were back in the refrigerator or freezer. The refrigerant department engineer developed the new BLACK ICE™ ICE JUG™ as the larger stock solution to effectively cool and maintain frozen in the intermediate bulk insulated transports. It's the longest lasting cold pack just for bulk cargo.

These systems are available direct, or through select packaging catalog companies or your local packaging distributors. Now your local packaging suppliers can effectively supply and support your "COLD CHAIN" and regulatory authorities' requirements. It is no longer necessary to be constrained with high cost, proprietary packaging from cold chain suppliers.



## **Bulk Pallet Pack Container – Reusable**

Used for a variety of applications. This 3 piece pallet pack system consists of corrugated sleeve\*, plastic pallet, and plastic lid which interlocks with the side wall sleeve to assure stability and containment. Features easy load front drop down panel. Simply position flap up and secure with tape. Stock size and custom height sleeves available upon request. Insulated liners allow for transporting a variety of temperature sensitive products.

PART	OUTSIDE DIM. (IN)	WEIGHT	TEST	REFERENCE
NO.	L x W x H	CAPACITY	LBS	NO.
GE92 PP	48 x 40 x 45	2500	275 DW	GE92

<sup>\*</sup>Custom height corrugated sleeves available upon request



# **Collapsible Specialty Bulk Box (IBC)**


Designed to with stand the harshest of demands. Features smooth walls and solid floor to satisfy strict hygienic standards. 4 way entry, and collapse height of 13.8 inches. Insulated liners allow for transporting a variety of temperature sensitive products. Optional lid.

PART	OUTSIDE DIM. (IN)	WEIGHT	WT.	REFERENCE
NO.	L x W x H	CAPACITY	LBS	NO.
GE92 CS	48 x 40 x 46	2500	UD	GE92

# **ICE-BOX RIGHT FIT™ COMPONENTS**

# Bulk Cargo Common Top & Bottom


Molded one piece base with raised circle pads allows temperature to circulate and raises product above any collected condensate or spilled liquids. Ergonomic loading design, allows easy loading and unloading. Air tight interlocking seals and thick insulation maintains temperature from external hazards during the shipping cycle. Common Top can invert from a lid to a bottom base. Common bottom can invert from a base to a lid.





### **Extension Collars**


Add extension collars (EC) to expand chest height, this option increases additional packing space to maximize additional product capacity, all in one bulk container. Add additional EC as needed to accommodate more product at minimal costs. Choose from small, medium, and/or large, or use any combination of Extension Collars.





# Perforated Tray/ Platform Extension

Perforated tray/platform is ideal for layering products, cold packs or dry ice through the packing procedure. Tested to hold over 550lbs. per tray assures the quality and enduring ability of layering products, cold packs or dry ice. Keeps products or refrigerant in place to assure a uniform temperature control. The perforated tray/platform can be inverted to be either a tray or platform.






# **Available Upon Request:**

- Slightly imperfect, marred, scoffed at discount price when available
- Testing: Thermal item specific, Polar Tech, ISTA, or other guidelines
- Use optional venting for when shipping live animals





1-800-ICE-BRIX \_\_\_\_\_\_ Polar Tech 3

# **FOAM LINER SPECIFICATIONS**

	PART NO.	OPTION	THICKNESS	INS		E DIN x W x		IN)	ou		IDE D		(IN)
	GE66	BN	1½"	26	х	19¾	х	10½	29	Х	22¾	х	13½
	GE66	ВО	1½"	26		18¼	•	18½	29		22¾		21½
	GE66	BP	1½" 1½"	26		18¼ 18¼		26½	29		22%		29½
	GE66 GE66	BQ BR	1½ 1½"	26 26		181/4		181/4	29 29		22¾ 22¾		37¼ 45½
	GE66	BS	1½"	26		181/4		50½	29		223/4		53½
	GE70	BT	2"	31½		17½		16½	39½		273/4		20½
	GE70	BU	2"	31½		17½		28	39½		27¾	х	32
	GE84	BV	2"	35¾	Х	23¾	х	16	39½	х	27¾	х	20
	GE84	BW	2"	35¾	Х	23¾		10¾	39½		27¾	Х	24½
	GE84	BX	2"	35¾	Х	23¾		32	39½		27%	Χ	36
_	GE92	A D	2" 1¾"	401/	X	32	X	13½	431/		35¾	X	17
	GE92 GE92	В	1¾"	40¼ 40¼	X	32 32	X	20 23	43¼ 43¼		35¾ 35¾	X	23½ 26½
	GE92	J	1¾"	401/4	Х	32	X	26%	431/4		35¾	X	30
	GE92	F	1¾"	401/4	х	32	х	29½	431/4		35¾	х	33
	GE92	Е	1¾"	40¼	х	32	х	31	431/4	х	35¾	х	34½
	GE92	С	1¾"	40¼	Х	32	Х	32½	431/4	х	35¾	Х	36
	GE92	S	1¾"	40¼	Х	32	Х	33	431/4		35¾	Х	36½
_	GE92	K G	1¾"	401/	X	32	Х	37½	431/		35%	Х	41
	GE92 GE92	Н	1¾" 1¾"	40¼ 40¼	X	32 32	X	39 40½	43¼ 43¼		35¾ 35¾	X	42½ 44
	GE92	w	1¾"	401/4	×	32	X	421/2	431/4		35¾	X	46
	GE92	Т	1¾"	401/4	х	32	х	44	431/4		35¾	Х	47½
	GE92	Р	1¾"	401/4	Х	32	х	45½	431/4	х	35¾	х	49
	GE92	N	1¾"	401/4	Х	32	х	47	431/4	х	35¾	х	50½
	GE92	L	1¾"	40¼	Х	32	Х	48½	431/4		35¾	Х	52
_	GE92	<u> </u>	1¾"	401/	Х	32	Х	50	431/		35¾	Х	53½
	GE92 GE92	AA X	1¾" 1¾"	401/	X	32 32	X	52	43%	• • •	35%	X	55½
	GE92 GE92	Ú	1¾"	40¼ 40¼	X	32	X	53½ 55	43¼ 43¼		35¾ 35¾	X	57 58½
	GE92	Q	1¾"	401/4	Х	32	X	56½	431/4	X	35¾		60
	GE92	0	1¾"	401/4	х	32	х	58	431/4	х		х	61½
	GE92	AB	1¾"	401/4	Х	32	х	63	431/4	х	35¾	Х	66½
	GE92	Υ	1¾"	40¼	Х	32	Х	64½	431/4	х	35¾	Х	68
_	GE92	V	1¾"	40¼	Х	32	Х	66	431/4		35¾		69½
	GE92	R AC	1¾" 1¾"	40¼	X	32	X	67½	431/	X	35%		71
	GE92 GE92	Z	1¾ 1¾"	40¼ 40¼	X	32 32	X	74 75½	43¼ 43¼	X	35¾ 35¾		77½ 79
	GE92 GE92	AD	1¾"	401/4	х	32	X	85	431/4		35¾	x	88½
	GE101	AE	1¾"	42	Х			5	461/4	х	38½	Х	9½
	GE101	AG	2"	42	х	34½	х	10	461/4	х	38½	х	14½
	GE101	AF	2"	42	Х	34½		12½	461/4	Х	38½	Х	17
	GE101	AH	2"	42	X	34½		17	461/4	Х		Χ	21½
	GE101	AI AK	2 2"	42		34½		17½	461/	X		X	22
	GE101 GE101	AJ	2"	42 42		34½ 34½		22 20	46¼ 46¼		38½ 38½		26 24½
	GE101	AM	2"	42		341/2		22½	461/4			X	27
	GE101	AY	2"	42		34½		25	461/4		38½	х	29½
	GE101	AU	2"	42	Х	34½	Х	27½	461/4	х	38½	Х	32
	GE101	AL	2"	42		34½		29	461/4		38½		33½
	GE101	AN AP	2"	42		34½		29½	461/	_	38½	_	34
	GE101 GE101	AZ	2"	42		34½		30	46¼ 46¼		38½ 38½		34½ 36½
	GE101	BD	2"	42 42	X	34½ 34½		32 32½	461/4		381/2		30/2
	GE101	AS	2"	42		341/2		34	461/4		38½		38½
	GE101	AV	2"	42		341/2		34½	461/4		38½		39
	GE101	AO	2"	42	Х	34½	Х	36½	461/4	х	38½	Х	41
	GE101	AQ	2"	42		34½		37	461/4		38½		41½
_	GE101	BA	2"	42	_	34½	_	39	461/		38½	_	43½
	GE101 GE101	BE AT	2"	42 42		34½ 34½		39½ 41	461/4		38½ 38½		44 45½
	GE101	AW	2"	42		341/2		41½	46¼ 46¼		381/2		45/2
	GE101	AR	2"	42		34½		44	461/4		38½		48½
	GE101	BB	2"	42	Х	34½		46	461/4		38½		50½
	GE101	BF	2"	42	Х	34½	Х	46½	461/4		38½		51
	GE101	BC	2"	42	Х	34½		53	461/4		38½		57½
	GE101	BG	2"	42	X	34½		53½	461/4		38½		58
	GE101	AX BH	2" 2"	42	X	341/2		56 601/	461/	X	38½		60½
	GE101 GE101	BI	2"	42 42	X	34½ 34½		60½ 68	46¼ 46¼		38½ 38½		65 72½
	GE150	BJ	2¼"	52½	Х	35	X	24½	46% 57	X	40	X	30
	GE150	ВК	2¼"	52½	х	35	х	39½	57	Х	40	Х	45
	GE150	BL	2¼"	52½	х	35	х	54½	57	Х	40	Х	60
	GE150	BM	2¼"	52½	Х	35	Х	69½	57	Х	40	Х	75
1	Dolar	. Tool	<b>L</b>										

# STEP BY STEP ICE-BOX ASSEMBLY FOR RIGHT















4 **Polar Tech** \_ polar-tech.com

# **BULK CARGO PT CONTAINERS**

# **Partial Telescoping Containers**

Partial telescoping (PT) adjustable two-piece easy load design box expands taller to accommodate various heights. Sold as a complete two-piece adjustable partial telescoping box. Assemble a PT box for insulated foam collars.

# **Top Lid**

Position corrugated lid over insulated liner and bottom corrugated box. Top lid is printed with ICE-BOX RIGHT FIT™, insulated for perishables and up arrows, 275# single wall corrugated. Optional self seal permanent adhesive closure, tamper evident feature available upon request.

### **Bottom Base**

Bottom telescoping base is ergonomically designed with slit and scored drop down front panel, ideal when bottom portion is loaded. Position flap up and secure with tape. Heavy duty 350# (DW) double wall provides durable protection during transit.

PART NO.	INSIDE D		TEST LBS	REFERENCE NO.
GE66KD M	30 x 24	x 22½-40	200/275#	GE66
GE66KD T	30 x 24	x 38½-56	200/275#	GE66
GE92KD S	44¼ x 36¼	x 24-39	275/350#	GE92
GE92KD M	44¼ x 36¼	x 36-51	275/350#	GE92
GE92KD T	44¼ x 36¼	x 48-63	275/350#	GE92
GE92KD XT	44¼ x 36¼	x 48-86	275/350#	GE92
GE101KD S	46¾ x 39	x 24-39	275/350#	GE101
GE101KD M	46¾ x 39	x 36-51	275/350#	GE101
GE101KD T	46¾ x 39	x 48-63	275/350#	GE101
GE101KD XT	46¾ x 39	x 48-86	275/350#	GE101
GE101KD S	57 x 40	x 31-53	275/350#	GE150
GE101KD T	57 x 40	x 55-77	275/350#	GE150







# **Corrugated Box RSC**

Regular slotted container box, single wall, 200# kraft, printed black protects your shipment. Available for short insulated containers.

PART NO.	INSIDE DIM. (IN) L x W x H	TEST LBS	REFERENCE NO.
GE66KD S	30 x 24 x 14	200#	GE66
GE70KD S	36 x 22 x 22½	200#	GE70
GE70KD M	36 x 22 x 36	200#	GE70
GE84KD S	40 x 28 x 20	200#	GE84
GE84KD M	40 x 28 x 25½	200#	GE84
GE84KD T	40 x 28 x 36½	200#	GE84



1-800-ICE-BRIX \_\_\_\_\_\_ Polar Tech 5

# **WOOD COMPONENTS AND MORE**



### **Wood Crate Pallet Collars**

Assemble a custom height wood crate for insulated foam collars. Keep adding collars and go as high as you require. Recommended protection for medium to heavy payloads international or domestic. Assembles without tools and folds flat as a space saver. 1/2" plywood and steel hinges assembles in minutes and assures maximum protection. Certified for export . Fits ICE-BOX RIGHT FIT™ foot print insulated liners and heat treated wood pallets. Optional 3/8" wood patten lid and interior skid liner inserts to protect and secure the contents.

PART NO.	OUTSIDE DIM. (IN) L x W x H	WEIGHT CAPACITY	WEIGHT LBS	REFERENCE NO.
GE70 WC	38 x 24 x 11½	1500	12.5	GE70
GE84 WC	42 x 30 x 12½	2300	15.8	GE84
GE92 WC	46 x 38 x 9½	2500	14	GE92
GE101 WC	48 x 40 x 8	2500	12.5	GE101
GE150 WC	58 x 41 x 7¾	2500	13.5	GE150



# **Wood Pallets**

New Wood, heat treated pallets meet ISPM 15, export specifications. 4- way fork access, double face.

PART NO.	SKID SIZE (IN) L x W x H	WEIGHT CAPACITY	SHIP WEIGHT	REFERENCE NO.
SHT 70	38 x 24	1500	28	GE66 GE70
SHT 84	42 x 30	2500	33	GE84
SHT 92	46 x 38	3000	48	GE92
SHT 101	48 x 40	2500	58	GE101
SHT 150	58 x 41	2500	67	GE150

### WHAT'S YOUR TEMPERATURE? HOW DO YOU KNOW?



# **Temperature Indicators**

Monitor your temperature sensitive products during the shipping and storage cycle. Temperature indicators and monitors are records of factual data; they either indicate temperature exceeded a determined degree or monitor record temperatures through the entire shipping cycle by set increments each hour, for days.

For more detailed information, contact our representatives or go to www.polar-tech.com.

PART NO.	OUTSIDE DIM. (IN) L x W	MATERIAL	STYLE
529	1.875 x 0.75	LAMINATED FIBERBOARD	NON SELF-ACTIVATING

# **LABELS**

### **International Labels**



**IPM 402** 4 x 4



**IPM 415** 4 x 6



**IPM 413** 4 x 6



**IPM 414** 4 x 6



**IPM 405** 4 x 6



**IPM 409** 4 x 6

# **Temperature Awareness Labels**



**TAL 817** 

6 x 4





**TAL 514** 

5 x 3



TAL 510 4 x 4



**TAL 544** 4 x 4



**TAL 816** 4 x 6



**TAL 818** 4 x 6

# **Shipping Caution Labels**



SCL 557

5 x 3

PLEASE OPEN THIS BOX **IMMEDIATELY!** AND STORE ITEMS AT INDICATED **TEMPERATURES** 

> SCL 596 5 x 3




**TAL 530** 4 x 4



**SCL 808** 4 x 6



**SCL 904** 4 x 8



This label complies with Federal Express labeling and marking recommendations for shipments containing dry ice. 5 1/2 x 51/2 inch gloss paper, pressure sensitive label, 500 per roll. Personalized label with name & address of shipper or consignee available upon request.



HFAVY

**SCL 833** 

8 x 2

RUSH

SCL 826

8 x 2





HOLD AT **AIRPORT FOR PICKUP** 



**IPM 409** 4 x 6



**SCL 806** 6 x 4

SCL 829 6 x 4

SCL 532 5 x 3

More available online at www.polar-tech.com

# UNIFORM CURTAIN OF COLD™



# **BLACK ICE™ ICE JUG™**

Engineered to be an effectively long lasting frozen/cold source in cargo transports for temperature sensitive perishable protection. The thin rigid plastic shell with handle allows easy grab and pack capabilities as well as efficient transfer of cold energy for days to protect larger quantities of perishables in bulk transport containers. Ideal for Frozen, Cold and Warm pack outs.

- Economical
- Non-Toxic, Safe to use
- · Re-Usable, Freeze till solid
- · Convenient Handle, Grip and Pack
- Long Lasting Ice-Jugs for Cargo Transports

PART NO.	WEIGHT LBS	SIZE (IN) L x W x H	QTY PER CASE
BLK J2	2	4.9 x 4.9 x 6.105	120
BLK J4	4	3.831 x 3.831 x 9.28	108
BLK J8	8	5.96 x 5.96 x 9.79	36



# **Cold Pockets**™

- Create your own uniform CURTAIN OF COLD™ wrap
- Insert either cold packs, dry ice or both

Minimum 4 full wraps are recommended. 7 wraps will provide the ideal full CURTAIN OF COLD™ coverage for a pallet or bulk transport shipper. You can cut them to a length of your choice to surround your product and keep the cold in place during shipping. Use pallet rubber band part #1301, 1401 or 1501 to hold the refrigerant against the product.

PART	SIZE (IN)	POCKETS	QTY PER
NO.	W x L	PER LENGTH	CASE
CP 12	12 x 144	15	48



# **ICE-BRIX® Saddle Bags™**

- · Ultimate in uniform temperature stability
- Maximum temperature sensitive protection for bulk transport of refrigerated frozen products
- 12 x 144" 18 continuous packs use full length cold wrap or cut to desired length
- Reusable, recyclable
- Biodegradable Gel

PART NO.	SIZE (IN) W x L	POCKETS PER LENGTH	QTY PER CASE
SB 24	12 x 144	18	1
SB 10	8 x 34	8	5

# UNIFORM CURTAIN OF COLD™

### GRAB & GO®

These cold packs are made with a plastic pouch and when properly used keep perishable products at a constant and desirable temperature. Economy Grade.

PART NO.	WEIGHT OZ	APPROX DIM. (IN) L x W x H	QTY PER CASE
BLK 24	24	8 x 6 x 11/4	24
BLK 32	32	10 x 6 x 1½	18
BLK 48	48	10¼ x 8 x 1½	12



### RE-FREEZ-R-BRIX®

RE-FREEZ-R-BRIX® is a block of rigid foam that holds its shape frozen or thawed and is reusable. These refrigerants are non-toxic, sealed in a heavy plastic pouch, and are rated the best in foam refrigerants. Other products just don't compare.

- Prevents thawing: Keeps frozen products chilled.
- Protects against freezing: When packaged in properly insulated containers, warmed RE-FREEZ-R-BRIX® release heat.
- Protects from warming: Keeps perishables requiring a temperature range of 32°F to 60°F at a safe, uniform cool temperature for over 14 days.

PART NO.	WEIGHT OZ	SIZE (IN) L x W x H	QTY PER CASE
RB 30	31	9 x 4 x 1½	12
RB 60	64	9 x 8 x 1½	6
RB 62	64	9 x 4 x 3	8
RB 64	64	11¼ x 9¼ x 1	12



### **ICE-BRIX**®

ICE-BRIX® are specifically formulated leakproof, long lasting, viscous gel refrigerants made with non-toxic ingredients listed as FDA GRAS. Rated "Best in all aspects". ICE-BRIX® is the ultimate in refrigerant packs. Leakproof, Variety of sizes, Reusable, Economical.

PART NO.	WEIGHT OZ	APPROX DIM. (IN) L x W x H	QTY PER CASE
IB 24	24	8 x 6 x 1¼	12
IB 31	32	8 x 8 x 1½	18
IB 32	32	10 x 6 x 1½	18
IB 38	38	14¼ x 6 x 1	14
IB 48	48	10¼ x 8 x 1½	12
IB 64	64	11 x 8 x 2	8



**Polar Tech** 9 1-800-ICE-BRIX

# PRECONDITION CARGO CONTAINERS



Model No. AZ2
Tank Mounted: as shown



# **ABSOLUTE ZERO™ Dry Ice Equipment**

The ABSOLUTE ZERO™ dry ice snow maker is ideal for small to high production, produces up to 17 lbs. / 2 min. - up to 47% CO2 yield. Simple to operate, no moving parts, insulated handles and barrel grip. Basic unit comes complete to produce dry ice snow. Includes 8 ft. pressure hose, tank connector with gasket, safety pressure relief valve, insulated barrel grip, instruction manual and warranty card. Patent pending.

\* Warning: Dry ice ad CO2 is classified as a hazardous gas (HAZMAT) for shipping and handling. Only use and store in well ventilated areas. You and your company and qualified personnel must contact your local dry ice or CO2 gas supplier for more information, training on use, and handling of dry ice and CO2 gas regulations.

Collect snow and place in box or liner. Use insulated gloves.

MODEL NO.	SIZE (IN) L x W x H	WEIGHT LBS	YIELD
AZ4	13.5 x 3 x 23.5	4.5	HIGH
AZ3	13.5 x 2 x 19.5	3.5	STANDARD
AZ2	3 x 11.75	2.5	STANDARD

Preconditioning perishable product shipments is a method of pre-cooling the insulated containers and fill materials before or during the pack out. This method of preconditioning extends transit time as well as immediately stabilizes interior temperature. This maintains stable product temperature, without adverse temperature fluctuations and unnecessary prolonged excursions. Use the ABSOLUTE ZERO™ dry ice snow equipment to surface coat the insulated cargo transport container to condition, cool and stabilize the interior temperature.

Accessories and replacement parts available online at www.polar-tech.com



### **Pallet Rubber Bands**

Hold cover on or hold flaps down during packing. Can be used outside of pallet containers or inside to secure wrap on inner contents. Available in natural rubber for regular applications or in blue, which retains elasticity in frozen conditions.

PART NO.	SIZE (IN) W x CIRCUMFERENCE	COLOR	APPLICATIONS	QTY PER BAG
1301	3⁄4 x 72	Natural	General	1
1401	¾ x 84	Natural	General	1
1501	¾ x 92	Natural	General	1
1501 FREEZE	¾ x 92	Blue	Frozen	1



# Poly (Bag/Cover) Liners

- Barrier all liquid collection
- Barrier direct, hold and extend temperature at product payload
- Warning: Never seal dry ice in closed bag!

•	PART NO.	DIMENSIONS L x W x D (INCHES)	THICKNESS (MIL)	QTY/ROLL
	BC60	55 x 48 x 60	2	90
	BC110	55 x 48 x 110	4	25
	BC130	55 x 48 x 130	4	20

# **Single Face Corrugated Roll**

Raised fluting absorbs shocks. Flexible and conforms to any shape. Use as interleaving of void fill. For temperature protection, use several layers to buffer ice from direct contact with payload boxes. Available in white or kraft for a cosmetically clean presentation.

PART NO.	COLOR	FLUTE	SIZE W x L	WEIGHT PER ROLL
1000	KRAFT	Α	9" x 250'	10
1001	KRAFT	Α	12" x 250'	15.5
1002	KRAFT	Α	18" x 250'	22
1003	KRAFT	Α	24" x 250'	28
1004	KRAFT	В	36" x 250'	43.5
1004W	WHITE	В	36" x 250'	30
1005	KRAFT	В	48" x 250'	57
1005W	WHITE	В	48" x 250'	41



# **Poly Coated White Paper**

- Provides a clean, sterile presentation
- Reduces condensate from packaged payload boxes
- 40 lb, virgin, bleached white paper has polyethylene coating on one side

PART NO.	SIZE W x L	BASIS WEIGHT	WEIGHT PER ROLL
1140W	18" x 1100'	40 lb	23
1141W	24" x 1100'	40 lb	31
1142W	36" x 1100'	40 lb	46
1143W	48" x 1100'	40 lb	60
1144W	60" x 1100'	40 lb	83



# **Poly Coated Kraft Paper**

- Reduces condensation from payload product boxes
- 10 lb gloss polycoating on one side, 50 lb virgin kraft paper

PART NO.	SIZE W x L	BASIS WEIGHT	WEIGHT PER ROLL
1140	18" x 600'	50 lb	18
1141	24" x 600'	50 lb	25
1142	36" x 600'	50 lb	37
1143	48" x 600'	50 lb	48
1144	60" x 600'	50 lb	60



**Polar Tech** 11 1-800-ICE-BRIX





# RIGHT FIT

Packaging distributor's entry to Cold Chain bulk cargo shippers

- Completely Recyclable
- Economical
- Versatile
- Domestic and International Use
- For Perishables Small, Medium and Large

1-800-ICE-BRIX www.polar-tech.com



Use your camera or a QR Scanner to visit our site

## Polar Tech


INTELLECTUAL PROPERTY
NOTICE REGARDING INTELLECTUAL PROPERTY

Polar Tech has invested substantial resources to create, develop and market its products and has taken appropriate measures to ensure that Polar Tech proprietary products and has taken appropriate measures to ensure that Polar Tech products and the such products are protected. You are hereby notified than Polar Tech misappropriated products are protected from the product of the product of the misappropriation or infringement of any of Polar Tech's trade secrets, trademarks, comprishes, natures to other intellectual promoter's circle.

Depending on the nature of the particular violation, anyone who is found to have violated Polar Tech's proprietary rights could, for example, be liable for three times the actual damages suffered by Polar Tech or statutory damages of up to \$150,000. Polar Tech could also be awarded its costs and attorney's fees.

prison term and a fine of \$250,000 or, in the case corporate offenders, a fine of \$500,000.

Absolute Zero, Ice-Brix, ICE-BOX Right Fit, and Re-Freez-R-Brix are some trademarks of Polar Tech Industries. Inc.



Form No. GE-0320

©2020 Polar Tech Industries, Inc.